

**Identification**

Taric code: 3822 00 00

**Specifications**

For use with: Aquagent® Complet 5 (AQ0003) Aquagent® Complet 2 (AQ0007)

Reagent for accelerated volumetric titration

Contains imidazole, sulfur dioxide and methanol

**Physical data**

- Density: 0,82 g/cm<sup>3</sup>
- Solub. in water: (20 °C): miscible
- Flash point: 11 °C
- Hygroscopic

**Safety - GHS****Signal Word:** Danger**Hazard Statements:**

H225: Highly flammable liquid and vapour.

H331: Toxic if inhaled.

H360D: May damage the unborn child.

H370: Causes damage to organs.

H314: Causes severe skin burns and eye damage.

**Precautionary Statements:**

P210: Keep away from heat / sparks / open flames / hot surfaces. - No smoking.

P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor / physician.

P370+P378: In case of fire: Use ... for extinction.

P405: Store locked up.

P501a: Dispose of contents / container in accordance with local / regional / national / international regulations.

**Transport/storage**

- ADR: 3 FT1 II • UN 1992 • FLAMMABLE LIQUID, TOXIC, N.O.S.(.)
- IMDG: 3 II • UN 1992 • FLAMMABLE LIQUID, TOXIC, N.O.S.(.)
- IATA/ICAO: 3 II • UN 1992 • FLAMMABLE LIQUID, TOXIC, N.O.S.(.)
- PAX: 305
- CAO: 307
- 10°C - 30°C