

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 03.01.2024

Version number 4.0 (replaces version 3.0)

Revision: 03.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

• **Trade name:** Aquagent® Solvent Oil, solvent-component for volumetric Karl Fischer titration in oils and fats, free from halogenated hydrocarbons

• **Article number:** AQ0010

Registration number

A registration number is not available for this substance because the substance or its uses are exempted from registration, the annual tonnage does not require registration or the registration is planned for a later date.

• **UFI:** 6HCO-Q0SV-Y000-FDK4

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

• **Application of the substance / the preparation:** Laboratory reagent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa

08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

Regional representation:

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa

08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

• **Further information obtainable from:** Technical Department

1.4 Emergency telephone number:

Toxicological Information National Institute of Toxicology and Forensic Sciences: + 34 91 562 04 20. The information will be provided (24h/365 days)

Please contact the regional Scharlab distributor/dealer in your country

During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

• **Classification according to Regulation (EC) No 1272/2008**



flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



health hazard

Repr. 1B H360D May damage the unborn child.

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 03.01.2024

Version number 4.0 (replaces version 3.0)

Revision: 03.01.2024

Trade name: Aquagent® Solvent Oil, solvent-component for volumetric Karl Fischer titration in oils and fats, free from halogenated hydrocarbons

(Contd. of page 1)



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

• **2.2 Label elements**

• **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

• **Hazard pictograms**



GHS02 GHS07 GHS08

• **Signal word** Danger

• **Hazard-determining components of labelling:**

hexan-1-ol

methanol

imidazole

• **Hazard statements**

H225 Highly flammable liquid and vapour.

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H360D May damage the unborn child.

H370 Causes damage to the central nervous system and the visual organs.

• **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **2.3 Other hazards**

• **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

• **3.2 Mixtures**

• **Description:** Solvent mixture with additives

• **Dangerous components:**

CAS: 111-27-3

hexan-1-ol

50-100%

EINECS: 203-852-3

Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2, H319

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 03.01.2024

Version number 4.0 (replaces version 3.0)

Revision: 03.01.2024

Trade name: Aquagent® Solvent Oil, solvent-component for volumetric Karl Fischer titration in oils and fats, free from halogenated hydrocarbons

CAS: 67-56-1

EINECS: 200-659-6

Reg.nr.: 01-2119433307-44-

XXXX

methanol

Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370

Specific concentration limits:

STOT SE 1; H370: C ≥ 10%

STOT SE 2; H371: 3 % ≤ C < 10 %

(Contd. of page 2)

10-25%

CAS: 288-32-4

EINECS: 206-019-2

Reg.nr.: 01-2119485825-24-

XXXX

imidazole

Repr. 1B, H360D; Skin Corr. 1C, H314; Acute Tox. 4, H302

5-10%

• **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• **General information:**

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

• **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• **After swallowing:** Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.

• **For safety reasons unsuitable extinguishing agents:** Water with full jet

• 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

• 5.3 Advice for firefighters

• **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 03.01.2024

Version number 4.0 (replaces version 3.0)

Revision: 03.01.2024

Trade name: Aquagent® Solvent Oil, solvent-component for volumetric Karl Fischer titration in oils and fats, free from halogenated hydrocarbons

(Contd. of page 3)

6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- Do not eat, drink or smoke during use.
- Wash hands after handling.

Information about fire - and explosion protection:

- Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities**Storage:**

- Requirements to be met by storerooms and receptacles:** Store in a cool location.
- Information about storage in one common storage facility:** Not required.

Further information about storage conditions:

- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- See product label for storage temperature.

- 7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:**

67-56-1 methanol

WEL Short-term value: 333 mg/m³, 250 ppm
Long-term value: 266 mg/m³, 200 ppm
Sk

- Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls

- Appropriate engineering controls** No further data; see section 7.
- Individual protection measures, such as personal protective equipment**

General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.

Respiratory protection:

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 03.01.2024

Version number 4.0 (replaces version 3.0)

Revision: 03.01.2024

Trade name: Aquagent® Solvent Oil, solvent-component for volumetric Karl Fischer titration in oils and fats, free from halogenated hydrocarbons

(Contd. of page 4)

• Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

• General Information

• Physical state

Fluid

• Colour:

Colourless

• Odour:

Characteristic

• Odour threshold:

Not determined.

• Melting point/freezing point:

Undetermined.

• Boiling point or initial boiling point and boiling range

63 °C

• Flammability

Highly flammable.

• Lower and upper explosion limit

• Lower:

1.3 Vol %

• Upper:

44 Vol %

• Flash point:

17 °C

• Auto-ignition temperature:

290 °C

• Decomposition temperature:

Not determined.

• pH

Not determined.

• Viscosity:

• Kinematic viscosity

Not determined.

• Dynamic:

Not determined.

• Solubility

• water:

Not miscible or difficult to mix.

• Partition coefficient n-octanol/water (log value)

Not determined.

• Vapour pressure at 20 °C:

128 hPa

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 03.01.2024

Version number 4.0 (replaces version 3.0)

Revision: 03.01.2024

Trade name: Aquagent® Solvent Oil, solvent-component for volumetric Karl Fischer titration in oils and fats, free from halogenated hydrocarbons

(Contd. of page 5)

- **Density and/or relative density**
- **Density at 20 °C:** 0.83 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- **Solvent content:**
- **Organic solvents:** 92.4 %
- **Solids content:** 5.8 %
- **Change in condition**
- **Evaporation rate** Not determined.
- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Highly flammable liquid and vapour.
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 03.01.2024

Version number 4.0 (replaces version 3.0)

Revision: 03.01.2024

Trade name: Aquagent® Solvent Oil, solvent-component for volumetric Karl Fischer titration in oils and fats, free from halogenated hydrocarbons

(Contd. of page 6)

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed or if inhaled.
- **LD/LC50 values relevant for classification:**

111-27-3 hexan-1-ol

Oral LD50 720 mg/kg (rat)
Dermal LD50 3,100 mg/kg (rabbit)

67-56-1 methanol

Oral LD50 100 mg/kg (rat)
Dermal LD50 300 mg/kg (rabbit)

Inhalative LC50/4 h 3 mg/l (rat)

- **Skin corrosion/irritation** Causes skin irritation.
- **Reproductive toxicity** May damage the unborn child.
- **STOT-single exposure** Causes damage to the central nervous system and the visual organs.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
- The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- The waste code indicated in this document is indicative according to the properties of each substance, but does not always apply.
- It is recommended to consult the local/national waste manager for more details on the waste and waste management regulations, which differ according to the legislation of each country.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 03.01.2024

Version number 4.0 (replaces version 3.0)







Revision: 03.01.2024

Trade name: Aquagent® Solvent Oil, solvent-component for volumetric Karl Fischer titration in oils and fats, free from halogenated hydrocarbons

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN number or ID number**
 - **ADR, IMDG, IATA**
 - **14.2 UN proper shipping name**
 - **ADR**
 - **IMDG, IATA**
 - **14.3 Transport hazard class(es)**
 - **ADR**
- | | | |
|--|--|---|
|  |  | UN1992 |
| | | 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, HEXANOLS) |
| | | FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, HEXANOLS) |
- **Class**
 - **Label**
- 3 Flammable liquids.
3+6.1
-
- **IMDG**
- | | | |
|---|---|---|
|  |  | UN1992 |
| | | 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, HEXANOLS) |
| | | FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, HEXANOLS) |
- **Class**
 - **Label**
- 3 Flammable liquids.
3/6.1
-
- **IATA**
- | | | |
|---|---|---|
|  |  | UN1992 |
| | | 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, HEXANOLS) |
| | | FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, HEXANOLS) |
- **Class**
 - **Label**
 - **14.4 Packing group**
 - **ADR, IMDG, IATA**
 - **14.5 Environmental hazards:**
 - **Marine pollutant:**
 - **14.6 Special precautions for user**
 - **Hazard identification number (Kemler code):**
 - **EMS Number:**
 - **Stowage Category**
 - **14.7 Maritime transport in bulk according to IMO instruments**
- 3 Flammable liquids.
3 (6.1)
- II
- No
- Warning: Flammable liquids.
- 336
- F-E,S-D
- B
- Not applicable.
-
- **Transport/Additional information:**
 - **ADR**
 - **Limited quantities (LQ)**
 - **Transport category**
- 1L
- 2

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 03.01.2024

Version number 4.0 (replaces version 3.0)

Revision: 03.01.2024

Trade name: Aquagent® Solvent Oil, solvent-component for volumetric Karl Fischer titration in oils and fats, free from halogenated hydrocarbons

- (Contd. of page 8)
- **Tunnel restriction code** D/E
 - **UN "Model Regulation":** UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, HEXANOLS), 3 (6.1), II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors**
None of the ingredients is listed.
- **Regulated poisons**
None of the ingredients is listed.
- **Reportable explosives precursors**
None of the ingredients is listed.
- **Reportable poisons**
None of the ingredients is listed.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I N/A**
- **Seveso category**
H3 STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE
P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H225 Highly flammable liquid and vapour.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H360D May damage the unborn child.
H370 Causes damage to organs.
H371 May cause damage to organs.
- **Department issuing SDS:** Product Safety Department
- **Contact:** msds@scharlab.com
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 03.01.2024

Version number 4.0 (replaces version 3.0)

Revision: 03.01.2024

Trade name: Aquagent® Solvent Oil, solvent-component for volumetric Karl Fischer titration in oils and fats, free from halogenated hydrocarbons

(Contd. of page 9)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Repr. 1B: Reproductive toxicity – Category 1B
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1