

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

- **Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

- **Article number:** CL0219

- **CAS Number:**

67-66-3

- **EC number:**

200-663-8

- **Index number:**

602-006-00-4

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- **Application of the substance / the preparation:** Laboratory reagent

### 1.3 Details of the supplier of the safety data sheet

- **Manufacturer/Supplier:**

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa

08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

- **Regional representation:**

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa

08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

- **Further information obtainable from:** Technical Department

### 1.4 Emergency telephone number:

Please contact the regional Scharlab distributor/dealer in your country

During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

- **Classification according to Regulation (EC) No 1272/2008**



skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361d Suspected of damaging the unborn child.

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

(Contd. on page 2)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 1)



Acute Tox. 4 H302 Harmful if swallowed.  
 Skin Irrit. 2 H315 Causes skin irritation.  
 Eye Irrit. 2 H319 Causes serious eye irritation.

• **2.2 Label elements**

• **Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the GB CLP regulation.

• **Hazard pictograms**



GHS06 GHS08

• **Signal word** Danger

• **Hazard statements**

H302 Harmful if swallowed.  
 H331 Toxic if inhaled.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H351 Suspected of causing cancer.  
 H361d Suspected of damaging the unborn child.  
 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

• **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P321 Specific treatment (see on this label).  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **2.3 Other hazards**

• **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

• **3.1 Substances**

• **CAS No. Description**

67-66-3 trichloromethane

• **Identification number(s)**

• **EC number:** 200-663-8

• **Index number:** 602-006-00-4

(Contd. on page 3)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 2)

#### SECTION 4: First aid measures

• **4.1 Description of first aid measures**

• **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

Immediately remove any clothing soiled by the product.

• **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

• **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• **After swallowing:** Do not induce vomiting; call for medical help immediately.

• **4.2 Most important symptoms and effects, both acute and delayed**

The main symptoms are described for the different cases of contact: skin, eyes, inhalation and ingestion.

• **4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

#### SECTION 5: Firefighting measures

• **5.1 Extinguishing media**

• **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

Fire can cause the evolution of:

Hydrogen chloride (HCl)

Phosgene gas

• **5.3 Advice for firefighters**

• **Protective equipment:**

Respiratory protection and full chemical protective clothing must be provided for extinguishing work.

Cool exposed containers by water spray or water mist.

• **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures**

Use respiratory protective device against the effects of fumes/dust/aerosol.

Evacuate and restrict access.

Isolate leaks as long as it does not pose an additional risk to persons performing this function.

Ensure adequate ventilation

• **6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

• **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 3)

Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.

• **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

• **7.1 Precautions for safe handling**

Store in cool, dry place in tightly closed receptacles.

Avoid breathing mist / vapours / aerosol.

Keep away from heat and other sources of ignition.

Ensure good ventilation/exhaustion at the workplace.

Do not eat, drink or smoke during use.

Wash hands after handling.

• **Information about fire - and explosion protection:** No special measures required.

• **7.2 Conditions for safe storage, including any incompatibilities**

• **Storage:**

• **Requirements to be met by storerooms and receptacles:**

Store in a cool, dry and well-ventilated place.

Store only in unopened original receptacles.

Provide ventilation for receptacles.

Provide floor trough without outlet.

Provide solvent resistant, sealed floor.

• **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidising agents.

• **Further information about storage conditions:**

Store under lock and key and with access restricted to technical experts or their assistants only.

Avoid sources of heat, radiation, static electricity and contact with food.

Protect from humidity and water.

Protect from exposure to the light.

Keep container tightly sealed.

See product label for storage temperature.

• **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

• **8.1 Control parameters**

• **Ingredients with limit values that require monitoring at the workplace:**

**67-66-3 trichloromethane**

WEL Long-term value: 9.9 mg/m<sup>3</sup>, 2 ppm

Sk

• **DNELs**

DNEL consumer, prolonged. Systematic effects: Inhalative - 0.18 mg/m<sup>3</sup>

DNEL worker, acute. Systematic effects: Inhalative - 333 mg/m<sup>3</sup>

DNEL worker, cronic. Systematic effects: Inhalative - 2.5 mg/m<sup>3</sup>

DNEL worker, cronic. Local effects: Inhalative - 2.5 mg/m<sup>3</sup>

DNEL worker, cronic. Systematic effects: Dermic - 0.94 mg/kg body weight

• **PNECs**

PNEC (Fresh water): 0.146 mg/L

(Contd. on page 5)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 4)

PNEC (Sea water): 0.015 mg/L

PNEC (Residual water depuration system): 0.048 mg/l

PNEC (Freshwater sediments): 0.45 mg/kg

PNEC (Seawater sediments): 0.09 mg/kg

PNEC (Soil): 0.56 mg/kg

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Fluid

- **Colour:**

Colourless

- **Odour:**

Sweetish

- **Odour threshold:**

Not determined.

- **Melting point/freezing point:**

-63 °C

- **Boiling point or initial boiling point and boiling range**

62 °C

- **Flammability**

Not applicable.

(Contd. on page 6)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 5)

· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	Not applicable.
· <b>Auto-ignition temperature:</b>	982 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic at 20 °C:</b>	0.56 mPas
· <b>Solubility</b>	
· <b>water at 23 °C:</b>	8.7 g/l
· <b>Partition coefficient n-octanol/water (log value)</b>	0.29447
· <b>Vapour pressure at 20 °C:</b>	211 hPa
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.49 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Not determined.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Molecular weight</b>	119.38 g/mol
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

(Contd. on page 7)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 6)

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** Stable under normal conditions. No decomposition if used according to regulations.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**  
Heat, flame and sparks  
Exposure to light.  
Exposure to moisture.
- **10.5 Incompatible materials:**  
Strong oxidising agents.  
Acids  
Miscellaneous metals
- **10.6 Hazardous decomposition products:**  
Carbon oxides  
Hydrogen chloride (HCl)  
Phosgen

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**  
Harmful if swallowed.  
Toxic if inhaled.
- **LD/LC50 values relevant for classification:**

---

Oral	LD50	908 mg/kg (rat)
Dermal	LD50	3,890 mg/kg (rabbit)
Inhalative	LC50/4 h	9.2 mg/l (rat)
- **Skin corrosion/irritation**  
Fur - Rabbit  
Result: Irritating to the skin - 24 h  
Result: Mild irritation  
Comments: (IUCLID)  
Drying effect results in rough and cracked skin.  
Causes skin irritation.
- **Serious eye damage/irritation**  
Eyes - Rabbit  
Result: Irritating to eyes  
Comments: (ECHA)  
Causes serious eye irritation.
- **Respiratory or skin sensitisation**  
Maximisation test - guinea pig  
Result: negative (ECHA)
- **Germ cell mutagenicity**  
Reverse mutation test  
Salmonella typhimurium  
Result: negative  
Reverse mutation test  
Escherichia coli  
Result: negative  
Rat - Bone marrow

(Contd. on page 8)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 7)

Result: negative

Rat - Other cell types

Result: negative

**• Carcinogenicity**

IARC: Group 2B: Possible carcinogenic to humans

Suspected of causing cancer.

**• Reproductive toxicity** Suspected of damaging the unborn child.**• STOT-single exposure** May cause dizziness and drowsiness.**• STOT-repeated exposure**

Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

**• 11.2 Information on other hazards****• Endocrine disrupting properties** Substance is not listed.**SECTION 12: Ecological information****• 12.1 Toxicity****• Aquatic toxicity:**

Toxicity to fish

LC50 - Oncorhynchus mykiss (Rainbow trout) - 18,2 mg/L - 96 h

NOEC - Oryzias latipes (Carpa) - 1.463 mg/L (270h)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (large sea flea) - 152.5 mg/L - 48 h

NOEC - Daphnia magna (large sea flea) - 6.3 mg/L - 21h

Toxicity to algae

ErC50 static test - Chlamydomonas reinhardtii (green algae) - 13,3 mg/L - 72 h

**• 12.2 Persistence and degradability**

Result: 0 % (Exposure time: 14 days) - OECD

301C

Not easily biodegradable

**• 12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water:

log Pow: 1.97 (experimental)

Bioconcentration Factor (BCF): 13.

Non significant accumulation in organisms

**• 12.4 Mobility in soil**

Surface tension: 27 mN/m

Log Koc: 2.27 (25°C)

Henry constant: 310 Pa·m<sup>3</sup>/mol (20 °C)**• 12.5 Results of PBT and vPvB assessment****• PBT:** Not applicable.**• vPvB:** Not applicable.**• 12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**• 12.7 Other adverse effects****• Additional ecological information:****• General notes:**

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 9)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 8)

### SECTION 13: Disposal considerations

• **13.1 Waste treatment methods**

• **Recommendation**

Contact manufacturer for recycling information.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

The waste code indicated in this document is indicative according to the properties of each substance, but does not always apply.

It is recommended to consult the local/national waste manager for more details on the waste and waste management regulations, which differ according to the legislation of each country.

• **Uncleaned packaging:**

• **Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

### SECTION 14: Transport information

• **14.1 UN number or ID number**

• **ADR, IMDG, IATA**

UN1888

• **14.2 UN proper shipping name**

• **ADR**

1888 CHLOROFORM

• **IMDG, IATA**

CHLOROFORM

• **14.3 Transport hazard class(es)**

• **ADR, IMDG, IATA**



• **Class**

6.1 Toxic substances.

• **Label**

6.1

• **14.4 Packing group**

• **ADR, IMDG, IATA**

III

• **14.5 Environmental hazards:**

• **Marine pollutant:**

No

• **14.6 Special precautions for user**

Warning: Toxic substances.

• **Hazard identification number (Kemler code):**

60

• **EMS Number:**

F-A,S-A

• **Segregation groups**

(SGG10) Liquid halogenated hydrocarbons

• **Stowage Category**

A

• **Stowage Code**

SW2 Clear of living quarters.

• **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

• **Transport/Additional information:**

• **ADR**

• **Limited quantities (LQ)**

5L

• **Transport category**

2

• **Tunnel restriction code**

E

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

· **UN "Model Regulation":**

UN 1888 CHLOROFORM, 6.1, III

(Contd. of page 9)

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors** Substance is not listed.
- **Regulated poisons** Substance is not listed.
- **Reportable explosives precursors** Substance is not listed.
- **Reportable poisons** Substance is not listed.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I -**
- **Seveso category H2 ACUTE TOXIC**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Product Safety Department
- **Contact:** msds@scharlab.com
- **Abbreviations and acronyms:**
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - ICAO: International Civil Aviation Organisation
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - DNEL: Derived No-Effect Level (UK REACH)
  - PNEC: Predicted No-Effect Concentration (UK REACH)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - Acute Tox. 4: Acute toxicity – Category 4
  - Acute Tox. 3: Acute toxicity – Category 3
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
  - Carc. 2: Carcinogenicity – Category 2
  - Repr. 2: Reproductive toxicity – Category 2
  - STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

(Contd. on page 11)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 10)

### Annex: Exposure scenario 1

- **1 - Short title of the exposure scenario** Industrial use
- **Sector of Use**  
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- **Process category**  
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition  
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities  
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities  
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
- **Environmental release category**  
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **2 - Conditions of use**
- **Duration and frequency** Days of issuance (days/year): 87
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** Raw material.
- **Used amount per time or activity** 3480 tons per year
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting worker exposure**  
Keep locked up.  
Ensure adequate ventilation, especially in closed rooms.  
Avoid contact with the skin.
- **Other operational conditions affecting consumer exposure** Keep out of the reach of children.
- **Other operational conditions affecting consumer exposure during the use of the product**  
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures**  
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
- **Technical protective measures**  
Ensure that suitable extractors are available on processing machines
- **Personal protective measures**  
Use suitable respiratory protective device in case of insufficient ventilation.  
Take care of good cleanliness and tidiness.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the skin.  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Measures for consumer protection**  
Ensure adequate labelling.  
Keep locked up and out of the reach of children.

(Contd. on page 12)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 11)

- **Environmental protection measures**

Use appropriate container to avoid environmental contamination.

- **Air**

Exhaust air is introduced into the incinerator.

Exhaust air is introduced into the adsorption tower.

- **Water**

The product must not be released into water without prior treatment. On-site wastewater treatment is recommended. Typical on-site wastewater treatment technology achieves a removal efficiency of (%): (85.6)

- **Soil** No special measures required.

- **Disposal measures**

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- **Disposal procedures**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Waste type** Partially emptied and uncleaned packaging

- **3 - Exposure estimation**

- **Worker (dermal)**

The exposure estimation was carried out in accordance with ECETOC TRA.

Detailed information on the exposure estimation can be found at <http://www.ecetoc.org/tra>.

PROC 3: 0.1 - 0.5 (mg/kg/d)

PROC 8a: 0.1 - 0.5 (mg/kg/d)

PROC 8b: 0.1 - 0.5 (mg/Kg/d)

PROC 9: 0.1 - 0.5 (mg/kg/d)

- **Worker (inhalation)**

The exposure estimation was carried out in accordance with ECETOC TRA.

Detailed information on the exposure estimation can be found at <http://www.ecetoc.org/tra>.

PROC 3: 0.1 - 0.5 (mg/m<sup>3</sup>)

PROC 8a: 0.1 - 0.5 (mg/m<sup>3</sup>)

PROC 8b: 0.75 - 1 (mg/m<sup>3</sup>)

PROC 9: 0.1 - 0.5 (mg/m<sup>3</sup>)

- **Environment**

The estimation of environmental exposure was carried out in accordance with EUSES.

Detailed information on the estimation of the environmental exposure can be found at <http://ecb.jrc.ec.europa.eu/euses/>.

Maximum concentration/emission: Seawater 0.015 mg/l

Maximum concentration/emission: Fresh water 0.146 mg/l

- **Consumer** Not relevant for this Exposure Scenario.

- **4 - Guidance for downstream users**

Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment.

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

For the risk assessment, the tools recommended by ECHA can be used.

(Contd. on page 13)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 12)

### Annex: Exposure scenario 2

- **1 - Short title of the exposure scenario** Laboratory use
- **Sector of Use**
  - SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
  - SU24 Scientific research and development
- **Product category** PC21 Laboratory chemicals
- **Process category** PROC15 Use as laboratory reagent
- **Environmental release category**
  - ERC8b Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **2 - Conditions of use**
- **Duration and frequency**  
8hrs (full working shift).  
Days of issuance (days/year): 365
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** Raw material.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting worker exposure**  
Keep locked up.  
Ensure adequate ventilation, especially in closed rooms.  
Avoid contact with the skin.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures**  
Ensure good ventilation. This can be achieved by using a local exhaust or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
- **Technical protective measures**  
Ensure that suitable extractors are available on processing machines
- **Personal protective measures**  
Use suitable respiratory protective device in case of insufficient ventilation.  
Take care of good cleanliness and tidiness.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the skin.  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Measures for consumer protection**  
Ensure adequate labelling.  
Keep locked up and out of the reach of children.
- **Environmental protection measures**  
Use appropriate container to avoid environmental contamination.
- **Air** No special measures required.
- **Water** No special measures required.
- **Soil** No special measures required.

(Contd. on page 14)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 02.01.2024

Version number 7.0 (replaces version 6.0)

Revision: 02.01.2024

**Trade name:** Chloroform, 99,9%, anhydrous (max. 0,003% H<sub>2</sub>O), with molecular sieves, stabilized with 150 ppm of amylene

(Contd. of page 13)

- **Disposal measures**

Disposal must be made according to official regulations.  
Ensure that waste is collected and contained.

- **Disposal procedures**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Waste type** Partially emptied and uncleaned packaging

- **3 - Exposure estimation**

- **Worker (dermal)**

The exposure estimation was carried out in accordance with ECETOC TRA.

Detailed information on the exposure estimation can be found at <http://www.ecetoc.org/tra>.

PROC 15: 0.1 - 0.5 (mg/kg/d)

- **Worker (inhalation)**

The exposure estimation was carried out in accordance with ECETOC TRA.

Detailed information on the exposure estimation can be found at <http://www.ecetoc.org/tra>.

PROC 15: 0.1 - 0.5 (mg/m<sup>3</sup>)

- **Consumer** Not relevant for this Exposure Scenario.

- **4 - Guidance for downstream users**

Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment.

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

For the risk assessment, the tools recommended by ECHA can be used.