

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

• **Trade name:** Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

• **Article number:** TE0223

• **CAS Number:**

109-99-9

• **EC number:**

203-726-8

• **Index number:**

603-025-00-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Process category

PROC5 Mixing or blending in batch processes

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC15 Use as laboratory reagent

• **Application of the substance / the preparation:** Laboratory reagent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa

08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

Regional representation:

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa

08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

• **Further information obtainable from:** Technical Department

1.4 Emergency telephone number:

Please contact the regional Scharlab distributor/dealer in your country

During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

• **Classification according to Regulation (EC) No 1272/2008**



flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



health hazard

Carc. 2 H351 Suspected of causing cancer.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 1)



Eye Irrit. 2 H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard statements**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

EUH019 May form explosive peroxides.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.1 Substances**

· **CAS No. Description**

109-99-9 tetrahydrofuran

· **Identification number(s)**

· **EC number:** 203-726-8

· **Index number:** 603-025-00-0

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Personal protection for the First Aider.
Take affected persons out of danger area and lay down.

After inhalation:

Take affected persons into fresh air and keep quiet.
In severe cases such as cardiorespiratory arrest, artificial respiration techniques such as mouth-to-mouth resuscitation, cardiac massage, oxygen supply, etc. will be applied.
In case of unconsciousness place patient stably in side position for transportation.
Seek medical treatment.

After skin contact:

Immediately remove all contaminated clothing.
Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
If the casualty wears contact lenses, they should be removed as long as they are not stuck to the eyes, otherwise additional damage may occur.

After swallowing:

Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

The main symptoms are described for the different cases of contact: skin, eyes, inhalation and ingestion.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Fire can cause the evolution of:

Carbon monoxide (CO)

Carbon dioxide (CO₂)

Nitrogen oxides

5.3 Advice for firefighters

Protective equipment:

Respiratory protection and full chemical protective clothing must be provided for extinguishing work.
Wear fully protective suit.
Wear self-contained respiratory protective device.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.
Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Isolate leaks as long as it does not pose an additional risk to persons performing this function.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 3)

Wear protective equipment. Keep unprotected persons away.

• **6.2 Environmental precautions:**

Dilute with plenty of water.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• **6.3 Methods and material for containment and cleaning up:**

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

• **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling**

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Avoid contact with air/oxygen (peroxide formation). Handle under dry inert gas.

Open and handle receptacle with care.

Do not eat, drink or smoke during use.

Wash hands after handling.

• **Information about fire - and explosion protection:**

Vapours are heavier than air and can spread along the ground.

Use explosion-proof apparatus / fittings and spark-proof tools.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

• **7.2 Conditions for safe storage, including any incompatibilities**

• **Storage:**

• **Requirements to be met by storerooms and receptacles:**

Store in a cool, dry and well-ventilated place.

Store only in unopened original receptacles.

Store in a cool location.

• **Information about storage in one common storage facility:** Not required.

• **Further information about storage conditions:**

Avoid sources of heat, radiation, static electricity and contact with food.

Store under lock and key and with access restricted to technical experts or their assistants only.

Avoid contact with air / oxygen (formation of peroxide).

Store in nitrogen.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

See product label for storage temperature.

• **7.3 Specific end use(s)** No further relevant information available.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

109-99-9 tetrahydrofuran

WEL Short-term value: 300 mg/m³, 100 ppmLong-term value: 150 mg/m³, 50 ppm

Sk

DNELs

DNEL worker, cronic. Local effects: Inhalative - 150 mg/m³DNEL worker, cronic. Systematic effects: Inhalative - 150 mg/m³

DNEL worker, cronic. Systematic effects: Dermic - 25 mg/kg body weight

DNEL consumer, prolonged. Systematic effects: Inhalative - 62 mg/m³

DNEL consumer, prolonged. Systematic effects: Dermic - 15 mg/kg body weight

DNEL consumer, acute. Local effects: Inhalative - 150 mg/m³DNEL consumer, acute. Systematic effects: Inhalative - 150 mg/m³

PNECs

PNEC (Fresh water): 4.32 mg/L

PNEC (Sea water): 0.432 mg/L

PNEC (Freshwater sediments): 23.3 mg/kg

PNEC (Seawater sediments): 2.33 mg/kg

PNEC (Residual water depuration system): 4.6 mg/l

PNEC (Soil): 2.13 mg/kg

PNEC (Periodic water release): 21.6 mg/L

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 5)

• **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye/face protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

• **9.1 Information on basic physical and chemical properties**

• **General Information**

• **Physical state**

Fluid

• **Colour:**

Colourless

• **Odour:**

Ether-like

• **Odour threshold:**

Not determined.

• **Melting point/freezing point:**

-108.5 °C

• **Boiling point or initial boiling point and boiling range**

65.5 °C

• **Flammability**

Highly flammable.

• **Lower and upper explosion limit**

• **Lower:**

1.5 Vol %

• **Upper:**

12 Vol %

• **Flash point:**

-21.5 °C

• **Auto-ignition temperature:**

230 °C

• **Decomposition temperature:**

Not determined.

• **pH**

Neutral

• **Viscosity:**

• **Kinematic viscosity**

Not determined.

• **Dynamic:**

Not determined.

• **Solubility**

• **water:**

Fully miscible.

• **Partition coefficient n-octanol/water (log value)**

Not determined.

• **Vapour pressure at 20 °C:**

200 hPa

• **Vapour pressure at 50 °C:**

550 hPa

• **Density and/or relative density**

• **Density at 20 °C:**

0.8892 g/cm³

• **Relative density**

Not determined.

• **Vapour density**

Not determined.

• **9.2 Other information**

• **Appearance:**

• **Form:**

Fluid

• **Important information on protection of health and environment, and on safety.**

• **Ignition temperature:**

Not determined.

• **Explosive properties:**

May form explosive peroxides.

• **Molecular weight**

72.11 g/mol

• **Change in condition**

• **Evaporation rate**

Not determined.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 6)

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Stable under normal conditions. No decomposition if used according to regulations.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Forms peroxides.
- **10.4 Conditions to avoid** Heat, flame and sparks
- **10.5 Incompatible materials:** Strong oxidising agents.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**
Oral LD50 1,650 mg/kg (rat)
Dermal LD50 >2,000 mg/kg (rat)
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Carcinogenicity** Suspected of causing cancer.
- **STOT-single exposure** May cause respiratory irritation.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties** Substance is not listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
Toxicity to fish

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 7)

LC50 - Pimephales promelas (Fathead piscardo) - 2160 mg/L - 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (large sea flea) - 3485 mg/L - 48 h

Toxicity to bacteria

CE20 - Activated sludge - 800 mg/L (0.5h)

• **12.2 Persistence and degradability**

Easily biodegradable

Biodegradation = 90-100 %

Exposure time: 14 d

Easily eliminable from water.

• **12.3 Bioaccumulative potential**

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

• **12.4 Mobility in soil**

The substance will slowly evaporate into the atmosphere from the water surface.

Absorption into solid soil is not likely.

• **12.5 Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

• **12.7 Other adverse effects**

Additional ecological information

Danger to drinking water supplies.

Discharge into the environment must be avoided.

• **Additional ecological information:**

• **General notes:**

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

• **13.1 Waste treatment methods**

• **Recommendation**

Must be specially treated adhering to official regulations.

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

The waste code indicated in this document is indicative according to the properties of each substance, but does not always apply.

It is recommended to consult the local/national waste manager for more details on the waste and waste management regulations, which differ according to the legislation of each country.

• **Uncleaned packaging:**

• **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 8)

SECTION 14: Transport information

· 14.1 UN number or ID number	UN2056
· ADR, IMDG, IATA	
· 14.2 UN proper shipping name	2056 TETRAHYDROFURAN
· ADR	TETRAHYDROFURAN
· IMDG, IATA	
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	33
· EMS Number:	F-E,S-D
· Stowage Category	B
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Transport category	2
· Tunnel restriction code	D/E
· UN "Model Regulation":	UN 2056 TETRAHYDROFURAN, 3, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- Regulated explosives precursors Substance is not listed.
- Regulated poisons Substance is not listed.
- Reportable explosives precursors Substance is not listed.
- Reportable poisons Substance is not listed.
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I -
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 9)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Product Safety Department

• **Contact:** msds@scharlab.com

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 10)

Annex: Exposure scenario 1

- **1 - Short title of the exposure scenario** Industrial use
- **Sector of Use**
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- **Process category**
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC15 Use as laboratory reagent
- **Environmental release category**
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
- **2 - Conditions of use**
- **Duration and frequency**
8hrs (full working shift).
5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** Raw material.
- **Other operational conditions**
- **Other operational conditions affecting worker exposure**
Use is assumed at a temperature not more than 20°C above ambient temperature.
Avoid contact with eyes.
Take precautionary measures against static discharge.
Keep away from sources of ignition - No smoking.
Gloves required during a shift
- **Risk management measures**
Application in a ventilated cabin with filtered air under pressure. Effectiveness 90%.
- **Worker protection**
- **Organisational protective measures**
The appropriate type of chemical protective glove has to be selected specifically, depending on the concentration and quantity of hazardous substances in the workplace.
- **Technical protective measures**
Provide explosion-proof electrical equipment.
Ensure that suitable extractors are available on processing machines
- **Personal protective measures**
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes.
Tightly sealed goggles
Wear suitable protective gloves and protective goggles /face protection during work.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Soil** No special measures required.
- **Disposal measures**
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
- **Disposal procedures**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 11)

• **Waste type** Partially emptied and uncleaned packaging

• **3 - Exposure estimation**

• **Worker (dermal)**

The exposure estimation was carried out in accordance with ECETOC TRA.

Detailed information on the exposure estimation can be found at <http://www.ecetoc.org/tra>.

PROC 9: 0.69 (mg/kg/d)

PROC 15: 0.03 (mg/kg/d)

• **Worker (inhalation)**

The exposure estimation was carried out in accordance with ECETOC TRA.

Detailed information on the exposure estimation can be found at <http://www.ecetoc.org/tra>.

PROC 9: 20 (mg/m³)

PROC 15: 5 (mg/m³)

• **Consumer** Not relevant for this Exposure Scenario.

• **4 - Guidance for downstream users**

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment.

For the risk assessment, the tools recommended by ECHA can be used.

(Contd. on page 13)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 12)

Annex: Exposure scenario 2

- **1 - Short title of the exposure scenario** Laboratory use
- **Sector of Use**
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Process category**
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC15 Use as laboratory reagent
- **Environmental release category**
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
- **2 - Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** Raw material.
- **Used amount per time or activity**
PROC 9: 1 hour(s)
PROC 15: 8 hour(s)
- **Other operational conditions**
- **Other operational conditions affecting worker exposure**
Use is assumed at a temperature not more than 20°C above ambient temperature.
Avoid contact with eyes.
Take precautionary measures against static discharge.
Keep away from sources of ignition - No smoking.
Gloves required during a shift
- **Risk management measures**
Application in a ventilated cabin with filtered air under pressure. Effectiveness 80%.
- **Worker protection**
- **Organisational protective measures**
The appropriate type of chemical protective glove has to be selected specifically, depending on the concentration and quantity of hazardous substances in the workplace.
- **Technical protective measures**
Provide explosion-proof electrical equipment.
Ensure that suitable extractors are available on processing machines
- **Personal protective measures**
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes.
Tightly sealed goggles
Wear suitable protective gloves and protective goggles /face protection during work.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Soil** No special measures required.
- **Disposal measures**
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.

(Contd. on page 14)

Safety data sheet
according to 1907/2006/EC, Article 31 Commission
regulation (EU) 2020/878

Printing date 02.01.2024

Version number 13.0 (replaces version 12.0)

Revision: 02.01.2024

Trade name: Tetrahydrofuran, dried (max. 0,005% H₂O), for analysis, ExpertQ®, stabilized with 250 ppm of 2,6-Di-tert-butyl-4-methylphenol (BHT)

(Contd. of page 13)

• **Disposal procedures**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• **Waste type** Partially emptied and uncleaned packaging

• **3 - Exposure estimation**

• **Worker (dermal)**

The exposure estimation was carried out in accordance with ECETOC TRA.

Detailed information on the exposure estimation can be found at <http://www.ecetoc.org/tra>.

PROC 9: 0.69 (mg/kg/d)

PROC 15: 0.03 (mg/kg/d)

• **Worker (inhalation)**

The exposure estimation was carried out in accordance with ECETOC TRA.

Detailed information on the exposure estimation can be found at <http://www.ecetoc.org/tra>.

PROC 9: 10 (mg/m³)

PROC 15: 10 (mg/m³)

• **Consumer** Not relevant for this Exposure Scenario.

• **4 - Guidance for downstream users**

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment.

For the risk assessment, the tools recommended by ECHA can be used.